

# Environmental Product Declaration

In accordance with ISO 14025 and EN 15804:2012+A2:2019/AC:2021 for:

Hardie® Plank

from

James Hardie Europe GmbH

**Program:** The International EPD® System  
[www.environdec.com](http://www.environdec.com)

**Program Operator:** EPD International AB

**EPD Registration Number:** S-P-10860

**Publication Date:** 16 November 2023

**Valid Until:** 9 November 2028

An EPD should provide current information and may be updated if conditions change. The stated validity is therefore subject to the continued registration and publication at [www.environdec.com](http://www.environdec.com)



|      |                                                                        |        |
|------|------------------------------------------------------------------------|--------|
| 1.0  | <b>About Us</b>                                                        | PG. 03 |
| 2.0  | <b>Our Fiber Cement Products</b>                                       | PG. 05 |
| 3.0  | <b>Our Commitment to Innovative, Durable and Sustainable Solutions</b> | PG. 06 |
| 4.0  | <b>Product Range &amp; Descriptions</b>                                | PG. 07 |
| 5.0  | <b>General Information</b>                                             | PG. 08 |
| 5.01 | <b>Programme information</b>                                           |        |
| 5.02 | <b>Company information</b>                                             |        |
| 5.03 | <b>Product information</b>                                             |        |
| 5.04 | <b>LCA information</b>                                                 |        |
| 5.05 | <b>Scope</b>                                                           |        |
| 5.06 | <b>Content information</b>                                             |        |
| 5.07 | <b>Cut-off rules</b>                                                   |        |
| 5.08 | <b>Allocation</b>                                                      |        |
| 5.09 | <b>Data quality and validation</b>                                     |        |
| 5.10 | <b>Compliance with standards</b>                                       |        |
| 5.11 | <b>Key assumptions and considerations</b>                              |        |
| 5.12 | <b>Environmental performance</b>                                       |        |
| 5.13 | <b>Environmental information for Hardie® Plank</b>                     |        |
| 5.14 | <b>Differences versus previous versions</b>                            |        |
| 5.15 | <b>References</b>                                                      |        |



# About Us

James Hardie is the world's number one producer and marketer of high-performance fiber cement products. As a trusted industry leader, we are committed to offering innovative, durable and sustainable solutions across an extensive range of exteriors and interiors.

James Hardie applies a continuous improvement mindset to research and development, manufacturing and sales.

Our innovative and durable solutions combine lasting beauty and endless design possibilities with trusted protection and low maintenance. We are driven to develop quality solutions that are built to last, improving the livability and street-scape for homeowners and communities alike.

# Integrated Approach to Sustainability

James Hardie is committed to delivering greater value for our consumers and the community. Our global strategy for value creation embeds the sustainability principles and practices that inform our environmental, social and governance (ESG) strategy.

**Sustainability is integrated into our day-to-day operations demonstrating our leadership in sustainability performance and reporting.**



Our high quality products are responsibly produced, built to last, and deliver long-term value.



Our product design and innovation consider sustainability-related impacts, and are constantly evolving to improve environmental performance.



We prioritize Lean Manufacturing to promote resource conservation and waste reduction.



Our people are central to all that we do. We create a culture in which people can thrive to promote shared success.



The Zero Harm foundation prioritises the safety of our products and employees, partners, customers and communities.



In the coming years, we will continue to develop our sustainability strategy and define the next steps in our ESG journey.

# Our Fiber Cement Products

James Hardie understands building professionals and homeowners alike, providing them with innovative building products and solutions. Hardie® fiber cement products are deemed non-combustible and are resistant to damage from moisture, termites, rotting and warping when installed and maintained correctly. They are damage-resistant, low maintenance and highly durable.



## Comparing Life Cycle Assessments

Life Cycle Assessments are one of the best tools for helping building professionals and homeowners understand the environmental impacts of their building products. LCA calculations are used to develop Environmental Product Declarations (EPDs); third-party verified documents that outline the environmental impact of a product and are a useful tool for building professionals to compare the environmental impacts between different products.

As EPDs do not certify whether products are environmentally superior to alternatives, it's crucial to understand the differences between the LCAs used when making comparisons between products, to confirm you're comparing like for like.

**There are a few things to look out for when comparing LCAs within Environmental Product Declarations (EPDs):**

1. They must be based on the same PCR (including the same version number) or be based on fully-aligned PCRs or versions of PCRs.
2. The two EPDs have equivalent content declarations (e.g., identical declared/functional units) and are valid at the time of comparison.

3. The two EPDs have equivalent system boundaries (e.g., cradle-to-gate, cradle-to-grave or other) and descriptions of data.
4. Products have identical functions, technical performance and use.
5. The LCA behind the EPDs applies equivalent data quality requirements, methods of data collection, and allocation methods.
6. The LCA behind the EPDs applies identical cut-off rules and impact assessment methods (including the same version of characterization factors).
7. When evaluating a product's climate impact (i.e., emissions), use the total Global Warming Potential (GWP-total) measure.

EPDs within the same product category but registered in different EPD programmes, or not compliant with EN 15804, may not be comparable. For further information about comparability, see EN 15804 and ISO 14025.

# Our Commitment to Innovative, Durable and Sustainable Solutions

The inherent properties of our fiber cement technology allow our Hardie® facade products to capture carbon dioxide (CO<sub>2</sub>) from the atmosphere during its use phase.

During the life of a built asset, carbon emissions are released at every phase, including during manufacturing and transportation of materials, construction, and end of life. This is commonly referred to as embodied carbon.


According to the World Green Building Council, embodied carbon in buildings contributes around 11 percent of all global carbon emissions.

Figure 1 below highlights the phases where embodied and operational carbon are released. Differing from other materials, fiber cement products capture CO<sub>2</sub> from the atmosphere during their operational use.

James Hardie's Lean Manufacturing helps us deliver quality products with less, promoting resource conservation and waste reduction to further our sustainability efforts.

Our line of responsibly produced products are high quality and built to last, delivering long-term value for building professionals and homeowners, whilst helping builders to reduce the environmental impact of their builds.

FIGURE 1 PRODUCT LIFE CYCLE



# Product Range & Descriptions



## Hardie® Plank

**Nominal thickness:** 8 mm

**Product weight:** 11,2 kg/m<sup>2</sup>



# General Information

## Programme information

### Programme:

The International EPD® System  
EPD International AB  
Box 210 60  
SE-100 31 Stockholm, Sweden

**w:** [environdec.com](http://environdec.com)  
**e:** [info@environdec.com](mailto:info@environdec.com)

CEN standard EN 15804 serves as the  
Core Product Category Rules (PCR)

**Product category rules (PCR):** PCR 2019:14  
Construction products (EN 15804+A2) (1.3.1)  
c-PCR-001 Cement and building limes (EN 16908)  
c-PCR-003 Concrete and concrete elements (EN 16757)  
**UN CPC Code:** 37570, 2021-02-05

### PCR review was conducted by:

The Technical Committee of the International EPD® System.  
See [www.environdec.com](http://www.environdec.com) for a list of members.

**Review chair:** Claudia A. Peña,  
University of Concepción, Chile.

The review panel may be contacted via the Secretariat  
[www.environdec.com/contact-us](http://www.environdec.com/contact-us).

### Independent third-party verification of the declaration and data, according to ISO 14025:2006:

☐ EPD process certification ☒ EPD verification

### Third party verifier:

Chris Foster, EuGeos SRL

**e:** [info@eugeos.eu](mailto:info@eugeos.eu)

**Approved by:** The International EPD® System

### Procedure for follow-up of data during EPD validity involves third party verifier:

☐ Yes ☒ No

**EPD type:** Manufacturer-specific EPD

The EPD owner has the sole ownership, liability, and  
responsibility for the EPD.

Please note, the EPD uses “,” comma as the decimal  
separator.

## Company information

### Owner of the EPD:

James Hardie Europe GmbH  
Bennigsen-Platz 1  
40474 Düsseldorf

### Contact Person:

Isabelle Régnier - Product Manager  
**t:** +31 6 46 37 23 76  
**e:** [fermacell@jameshardie.de](mailto:fermacell@jameshardie.de)  
**w:** <https://www.jameshardie.eu/en>

### Manufacturing locations:

Pulaski  
1000 James Hardie Way, Pulaski,  
VA 24301, United States

### EPD Produced by:

Edge Environment Sustainability Consulting Inc.

Ronnie Fang, Xinyue Zhang  
269 Cordaville Road  
Southborough, MA 01772, USA

**t:** +1 774 206 9172

**e:** [bryan.sheehan@edgeimpact.global](mailto:bryan.sheehan@edgeimpact.global)

**w:** [edgeimpact.global](http://edgeimpact.global)

# Product information

TABLE 2 PRODUCT INFORMATION

| Product       | Product use     | Panel nominal thickness (mm) | Product weight (kg/m²)* |
|---------------|-----------------|------------------------------|-------------------------|
| Hardie® Plank | Facade cladding | 8                            | 11,2                    |

Detailed product information and supporting evidence is available on <https://www.jameshardie.eu/en>.

# LCA information

James Hardie’s LCA calculates the environmental footprint at each of the following stages: product, transportation, manufacturing, use, and end-of-life. All the significant environmental impacts associated with the product, including the impact on water, air, land, and climate change are reported based on international ISO LCA standards.

This product declaration is based on the report for James Hardie Europe GmbH “Life Cycle Assessment and Environmental Product Declaration of Fiber Cement Cladding” background report by Edge Environment Sustainability Consulting Inc. and verified by Chris Foster in October 2023.


TABLE 3 PRODUCT CHARACTERISTICS

| Product Characteristics      |                                                                                                                                                                      |
|------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Declared Unit                | 1 square meter of installed product over its reference service life (RSL).                                                                                           |
| System Boundary              | Cradle to gate with options, modules C1–C4, and module D with additional modules (A1-A3 + C + D and additional modules). The additional modules are A4-A5 and B1-B2. |
| Reference Service Life (RSL) | The fiber cement product life is assumed to be 50 years.                                                                                                             |
| Geographical Coverage        | Europe                                                                                                                                                               |
| Time Period                  | Foreground was provided first-hand by James Hardie for CY20 (2020-01-01 to 2020-12-31)                                                                               |
| Databases used               | Ecoinvent v3.9.1 (all background data is less than 10 years old)                                                                                                     |
| Software                     | SimaPro (v9.5.0.0)                                                                                                                                                   |

\*No post-consumer recycled material is used in the production of products and packaging.

System Diagram:

FIGURE 1. SYSTEM BOUNDARY



Modules declared, geographical scope, share of specific data (in GWP-GHG indicator) and data variation:

The life cycle of a building product is divided into three process modules according to the General Program Instructions (GPI) and four information modules according to ISO 21930 and EN 15804 and supplemented by an optional information module on potential loads and benefits beyond the building life cycle, as given in following table.

## Scope

TABLE 4 THE LIFE CYCLE OF A BUILDING PRODUCT

|                      | Product stage       |           | Construction process stage |           |                           | Use stage |             |        |             |               |                        |                       | End of life stage          |           |                  |          | Resource Recovery stage            |
|----------------------|---------------------|-----------|----------------------------|-----------|---------------------------|-----------|-------------|--------|-------------|---------------|------------------------|-----------------------|----------------------------|-----------|------------------|----------|------------------------------------|
|                      | Raw material supply | Transport | Manufacturing              | Transport | Construction installation | Use       | Maintenance | Repair | Replacement | Refurbishment | Operational energy use | Operational water use | De-construction demolition | Transport | Waste processing | Disposal | Reuse-Recovery-Recycling-potential |
| Module               | A1                  | A2        | A3                         | A4        | A5                        | B1        | B2          | B3     | B4          | B5            | B6                     | B7                    | C1                         | C2        | C3               | C4       | D                                  |
| Modules declared     | x                   | x         | x                          | x         | x                         | x         | x           | ND     | ND          | ND            | ND                     | ND                    | x                          | x         | x                | x        | x                                  |
| Geography            | US                  | US        | US                         | EU        | EU                        | EU        | EU          |        |             |               |                        |                       | EU                         | EU        | EU               | EU       | EU                                 |
| Specific data used   | >90%                |           |                            |           |                           | -         | -           | -      | -           | -             | -                      | -                     | -                          | -         | -                | -        | -                                  |
| Variation - Product  | Not relevant        |           |                            |           |                           | -         | -           | -      | -           | -             | -                      | -                     | -                          | -         | -                | -        | -                                  |
| Variation - location | Not relevant        |           |                            |           |                           | -         | -           | -      | -           | -             | -                      | -                     | -                          | -         | -                | -        | -                                  |

ND = Not Declared

The following life cycle stages are deemed not applicable for James Hardie: Repair (B3); Replacement (B4); Refurbishment (B5); Operational energy use (B6); and Operational water use (B7). The scenarios included are currently in use and are representative for one of the most likely scenario alternatives.

## Content information

TABLE 5 MATERIAL CONTENT

| Material Input                           | Percent composition for 1m <sup>2</sup> of product |
|------------------------------------------|----------------------------------------------------|
| Cement (100% portland)                   | 30–35%                                             |
| Silica (sand)                            | 40–45%                                             |
| Cellulose Pulp                           | 5–10%                                              |
| Hydrated Alumina                         | 2–4%                                               |
| Additive                                 | 0–1%                                               |
| Coatings – primer & paint*               | Confidential                                       |
| Water                                    | 10–15%                                             |
| Packaging for 1m <sup>2</sup> of product |                                                    |
| Pallet                                   | 0 – 0,063 kg                                       |
| Pallet bag                               | 0 – 0,0050 kg                                      |
| Silage wrap                              | 0 – 0,0011 kg                                      |
| Strapping                                | 0 – 0,0025 kg                                      |
| Edge protectors                          | 0 – 0,058 kg                                       |

Table 5 lists materials used to produce fiber cement. The product does not contain one or more substances that are listed in the “Candidate List of Substances of Very High Concern for authorisation”. The safety data sheet is available if requested. Cellulose pulp is the main source of biogenic carbon content of the product(s), while pallet is the source of biogenic carbon content of packaging. Default biogenic carbon from Ecoinvent datasets is used here. For example, the biogenic carbon content is 0,14 kg per kg of sulfate pulp, and 495 kg per m<sup>3</sup> of sawnwood, which is used as the raw material of pallet. No recycled materials included in packaging.

\*Coatings are included in the model. Due to the data confidentiality, details are not reported here.

## Raw Materials, Packaging, and Transportation from Supplier (Module A1 and A2)

The inventory data collected from James Hardie for production year 2020 is available below. In summary, the Hardie® Plank is produced from:

- Cement, cellulose pulp, silica, hydrated alumina, additive, and water.
- The product uses primers and paints.
- Water listed in Table 5 reflects the amount of water in each product by the time it is packaged.
- Material transportation to manufacturing sites was assumed to be 130km. The additive material also includes a transportation distance of 5708 nautical miles by ship.
- For modelling purposes, it was assumed a typical product load had 50% utilisation of a typical heavy truck (i.e., 15t product on 30t capacity truck) for local distribution.
- Typical production process includes the use of energy (electricity, gasoline, diesel, natural gas, and propane), and water. Energy and water consumption were allocated to each product based on its portion of the overall yearly production (in STD, 1STD is 4,5mm\*1000mm\*1000mm worth of material) for each production site.
- Co-products of cladding production (i.e., reject sheets for cement production and dust for road base applications) do not currently have economic value for James Hardie (other than avoided landfill charges). With no economic value, the co-products do not share any of the production.
- The cellulose pulp is assumed to have 12,2 MJ/kg as renewable energy resource used as raw material, based on the energy density quoted for biomass municipal and industrial materials in the National Greenhouse Accounts Factors (Department of the Environment, 2021).
- Additional materials, including primers and paints, are based on Bill of Material (BOM) in CY 2020 and STD.
- Typical packaging, including wood, polyethylene, polyester, and polystyrene.
- Electricity is modelled with the regional grid of each plant location. Hardie® Plank is manufactured at Pulaski, VA, United States.

# Manufacturing (Module A3)

Typical production process includes the use of energy (electricity, gas, diesel, etc.). Energy consumption was allocated to each product based on its portion of the overall yearly production (in STDm) for each production site. Electricity is modeled with the regional grid of each plant location.

TABLE 6 ELECTRICITY GRID MIX FOR MANUFACTURING LOCATION AND GLOBAL WARMING POTENTIAL (GWP)

| Electricity mix, Pulaski                                                                                                              | Grid mix (%) | Emission factor (EF) (kg CO <sub>2</sub> -e/kWh) |
|---------------------------------------------------------------------------------------------------------------------------------------|--------------|--------------------------------------------------|
| Electricity, high voltage {RoW} heat and power co-generation, hard coal   Cut-off, U                                                  | 0,8%         | 1,21                                             |
| Electricity, high voltage {RoW} heat and power co-generation, lignite   Cut-off, U                                                    | 0,1%         | 1,25                                             |
| Electricity, high voltage {RoW} treatment of coal gas, in power plant   Cut-off, U                                                    | 0,03%        | 1,26                                             |
| Electricity, high voltage {SERC} electricity production, hard coal   Cut-off, U                                                       | 14,2%        | 1,23                                             |
| Electricity, high voltage {SERC} electricity production, hydro, pumped storage   Cut-off, U                                           | 0,03%        | 0,72                                             |
| Electricity, high voltage {SERC} electricity production, hydro, reservoir, alpine region   Cut-off, U                                 | 0,8%         | 0,001                                            |
| Electricity, high voltage {SERC} electricity production, hydro, run-of-river   Cut-off, U                                             | 3,4%         | 0,00003                                          |
| Electricity, high voltage {SERC} electricity production, lignite   Cut-off, U                                                         | 3,7%         | 1,29                                             |
| Electricity, high voltage {SERC} electricity production, natural gas, combined cycle power plant   Cut-off, U                         | 39,3%        | 0,48                                             |
| Electricity, high voltage {SERC} electricity production, natural gas, conventional power plant   Cut-off, U                           | 4,6%         | 0,76                                             |
| Electricity, high voltage {SERC} electricity production, nuclear, boiling water reactor   Cut-off, U                                  | 8,1%         | 0,005                                            |
| Electricity, high voltage {SERC} electricity production, nuclear, pressure water reactor   Cut-off, U                                 | 17,2%        | 0,004                                            |
| Electricity, high voltage {SERC} electricity production, oil   Cut-off, U                                                             | 0,03%        | 1,11                                             |
| Electricity, high voltage {SERC} electricity production, wind, <1MW turbine, onshore   Cut-off, U                                     | 0,04%        | 0,0001                                           |
| Electricity, high voltage {SERC} electricity production, wind, >3MW turbine, onshore   Cut-off, U                                     | 0,004%       | 0,0001                                           |
| Electricity, high voltage {SERC} electricity production, wind, 1-3MW turbine, onshore   Cut-off, U                                    | 0,5%         | 0,0001                                           |
| Electricity, high voltage {SERC} heat and power co-generation, biogas, gas engine   Cut-off, U                                        | 0,2%         | 0,93                                             |
| Electricity, high voltage {SERC} heat and power co-generation, natural gas, combined cycle power plant, 400MW electrical   Cut-off, U | 3,1%         | 0,53                                             |
| Electricity, high voltage {SERC} heat and power co-generation, natural gas, conventional power plant, 100MW electrical   Cut-off, U   | 1,8%         | 0,61                                             |
| Electricity, high voltage {SERC} heat and power co-generation, oil   Cut-off, U                                                       | 0,001%       | 0,96                                             |
| Electricity, high voltage {SERC} heat and power co-generation, wood chips, 6667 kW, state-of-the-art 2014   Cut-off, U                | 2,0%         | 0,06                                             |
| Total                                                                                                                                 | 100%         | 0,50*                                            |

# Transport (Module A4)

Transport distances and loads from James Hardie gate were calculated based on primary data from James Hardie in the production year 2020.

For modelling purposes, it was assumed a typical product load had 100% utilisation of a typical heavy truck (i.e., 30t product on 30t capacity truck) for national distribution, and 50% utilisation of a typical heavy truck (i.e., 15t product on 30t capacity truck) for local distribution.

Impact from energy consumption at warehouse when products are stored in the Europe warehouse is also included.

# Installation (Module A5)

The following assumptions have been used in this study to model product construction:

- Energy (electricity) consumption for construction and deconstruction has been calculated based on the consumption of 0,2 kWh of electricity per m<sup>2</sup> of product installed, which is assumed to be a conservative estimate based on up to 6 minutes of power tool usage (average 2kW power rating).
- Galvanised Rivets/ screws is included.
- Installation waste is 5%. All waste goes to landfill 100%.
- Product packaging is assumed to be disposed in landfill after delivery to site.

TABLE 7 PRODUCT INSTALLATION INPUTS FOR 1M<sup>2</sup> OF PRODUCT

| Life Cycle Stage | Input                                 | Unit           | Quantity |
|------------------|---------------------------------------|----------------|----------|
| Installation     | Product Installed                     | m <sup>2</sup> | 1        |
|                  | Electricity <sup>1</sup>              | kWh            | 0,20     |
|                  | Galvanised Rivet/ screws <sup>2</sup> | kg             | 0,08     |

TABLE 8 PRODUCT INSTALLATION OUTPUTS FOR 1M<sup>2</sup> OF PRODUCT

| Installation (A5) | Waste product | Packaging waste-wood (pallet) | Packaging waste-inert (pallet bag, strapping, etc.) |
|-------------------|---------------|-------------------------------|-----------------------------------------------------|
| Unit              | %             | kg                            | kg                                                  |
| Hardie® Plank     | 5%            | 0,067                         | 0,071                                               |

# Recarbonation (Module B1)

Carbonation is a natural process whereby concrete absorbs carbon dioxide (CO<sub>2</sub>) from the atmosphere through a chemical reaction between the CO<sub>2</sub> in the ambient air and hydration products within the concrete (Ca(OH)<sub>2</sub>). Concrete products can be subject to carbonation from the use stage onward (i.e., after construction and curing). From a life cycle impact accounting perspective, this process can also be referred to as 'reabsorption', since the CO<sub>2</sub> emitted during the cement manufacturing process can be partly offset by the lifetime absorption of CO<sub>2</sub>, therefore reducing the net CO<sub>2</sub> emissions associated with the concrete over its lifetime. This EPD has used the Global Cement and Concrete Association's (GCCA) tool for quantifying carbon reabsorption. This tool was developed with Quantis and is available at <https://gccassociation.org/sustainability-innovation/environmental-product-declarations/>. The results are included in the GWP-fossil, GWP-T, and GWP-GHG indicators.

\*The electricity emission factor accounts for the direct emission, losses, and transmission, not a simple accumulative emission from the listed electricity inventory in the table.

<sup>1</sup>Assumptions from previous EPD.  
<sup>2</sup>Assumptions from previous EPD.

### Assumptions:

- Outside and inside areas are exposed to air\*.
- The product is assumed exposed to rain.
- The fiber cement product life is assumed to be 50 years.
- 100% has been assumed for Degree of Carbonation (Dc %) from EN16757 and GCCA tool. James Hardie has done lab test to show this is not an overestimation.

TABLE 9 PLANK USE INPUT TO GCCA TOOL FOR 1M<sup>2</sup> OF PRODUCT

| Use Phase (B1) | Service life | Average exposed surface during service life, per declared unit | Exposure conditions | Density           |
|----------------|--------------|----------------------------------------------------------------|---------------------|-------------------|
| Unit           | yrs          | m <sup>2</sup> /m <sup>3</sup> of ready-mix concrete           |                     | kg/m <sup>3</sup> |
| Hardie® Plank  | 50           | 254,78                                                         | Exterior            | 1332              |

## Maintenance (Module B2)

The exterior facing Plank side is assumed to be re-painted (two coats) every 15 years, over the assumed 50-year life of the building. Acrylic varnish is assumed to be the paint. 2 layers on the coated side are required for each re-painting. It is assumed that fiber cement product has a lifespan of 50-years and no replacements will be required during the life of the building. It is recommended to clean the product once a year.

## Deconstruction and End of Life (Module C1, C2, C3, C4)

The end-of-life environmental profile is based on the assumed most conservative scenario, which is that all the products are dismantled and disposed at inert waste landfill. It is assumed that there is a 50km delivery distance to landfill based on the distance from likely construction sites within major cities to main landfill sites for the area. Transport to landfill is modelled based on 50% loaded rigid trucks (no empty return trips). There is no activity under C3, therefore C3 result is 0 for all impact categories.

## Recyclability potentials (Module D)

100% of the product goes to landfill, therefore no activities are included in Module D. Module D result is 0.

## Cut-off rules

All inputs and outputs to a unit process are included in the calculation. Data gaps are filled by conservative assumptions with average or generic data, such as module A5, C. Detailed assumptions are listed in the relevant section. According to the PCR 2019:14 and EN 15804+A2, the cut-off criteria shall be 1 % of renewable and non-renewable primary energy usage and 1 % of the total mass input of that unit process. The total of neglected input flows per module shall be a maximum of 5 % of energy usage and mass. Conservative assumptions in combination with plausibility considerations and expert judgement are used in this exercise.

**In accordance with the PCR 2019:14, the following system boundaries on manufacturing equipment and employees are excluded:**

- Environmental impact from infrastructure, construction, production equipment, and tools that are not directly consumed in the production process are not accounted for in the LCI. Capital equipment and buildings typically account for less than a few percent of nearly all LCIs and this is usually smaller than the error in the inventory data itself. For this project, it is assumed that capital equipment makes a negligible contribution to the impacts as per Frischknecht et al. (Frischknecht, 2007) with no further investigation.
- Personnel-related impacts, such as transportation to and from work, are also not accounted for in the LCI. The impacts of employees are also excluded from inventory impacts on the basis that if they were not employed for this production or service function, they would be employed for another. It is very hard to decide what proportion of the impacts from their whole lives should count towards their employment. For this project, the impacts of employees are excluded.

## Allocation

According to EN15804+A2:2019, in a process step where more than one type of product is generated, it is necessary to allocate the environmental stressors (inputs and outputs) from the process to the different products (functional outputs) in order to get product-based inventory data instead of process-based data. An allocation problem also occurs for multi-input processes. In an allocation procedure, the sum of the allocated inputs and outputs to the products shall be equal to the unallocated inputs and outputs of the unit process.

**The following stepwise allocation principles shall be applied for multi-input/output allocations:**

- The initial allocation step includes dividing up the system sub-processes and collecting the input and output data related to these sub-processes.
- The first (preferably) allocation procedure step for each sub-process is to partition the inputs and outputs of the system into their different products in a way that reflects the underlying physical relationships between them.
- The second (worst case) allocation procedure step is needed when physical relationship alone cannot be established or used as the basis for allocation. In this case, the remaining environmental inputs and outputs from a sub-process must be allocated between the products in a way that reflects other relationships between them, such as the economic value of the products.

Annual manufacturing data, including energy consumption, water consumption, and waste at manufacturing stage, are allocated by production volume in standard meter, which takes the product thickness into account.

Manufacturing wastes that get disposed or recycled has negligible economic value, therefore no impact has been allocated to manufacturing wastes.

## Data Quality and Validation

The primary data used for the study (core module) is based on direct utility bills or feedstock quantities from James Hardie's procurement records. Edge used contribution analysis to focus on the key pieces of data contributing to the environmental impact categories. Edge considers the data to be of high quality for the core module. Data quality level and criteria from the Product Environmental Footprint Category Rules listed in EN 15804+A2 Annex E is used to perform this data quality assessment activity.

## Compliance with Standards

**The methodology and report format are compliant with:**

- ISO 14040:2006 and ISO14044:2006+A1:2018 which describe the principles, framework, requirements and provides guidelines for life cycle assessment (LCA) (ISO, ISO 14040:2006. Environmental management – Life cycle assessment – Principles and framework., 2006) (ISO, ISO 14044:2006. Environmental management – Life cycle assessment – Requirements and guidelines, 2006).
- ISO 14025:2006 Environmental labels and declarations – Type III environmental declarations – Principles and procedures, which establishes the principles and specifies the procedures for developing Type III environmental declaration programmes and Type III environmental declarations (ISO, ISO 14025:2006 - Environmental labels and declarations - Type III environmental declarations - Principles and procedures, 2006).
- ISO 14020:2022 Environmental statements and programmes for products – Principles and general requirements (ISO, ISO 14020:2022 - Environmental statements and programmes for products — Principles and general requirements, 2022).
- EN 15804+A2:2019: Sustainability of construction works – Environmental product declarations – Core rules for the product category of construction products (here after referred to as EN15804+A2) (European Standard, 2019).
- Product Category Rules (PCR) 2019:14, v1.3.1 – Construction products – Hereafter referred to as PCR 2019:14 (EPD International, 2023).
- c-PCR-001 Cement and building limes (EN 16908) (EPD International, 2019).
- c-PCR-003 Concrete and concrete elements (EN 16757) (EPD International, 2019).

\*There is enough area behind the board that allows water to drain after installed and dry out behind the boards, so there is air on the exposed and building-side sides.

## Key Assumptions and Considerations

TABLE 10 ASSUMPTIONS, CHOICES, AND LIMITATIONS

| Module             | Assumption or limitation                                                                                      | Impact on LCA results | Discussion                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|--------------------|---------------------------------------------------------------------------------------------------------------|-----------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>General</b>     | Indicators SM, RSF, NRSF values                                                                               | Minor                 | These values are only calculated for foreground processes, not the whole product system.                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>A1</b>          | Raw material packaging                                                                                        | Minor                 | For simplicity and lacking comprehensive data, all raw material packaging is excluded in this study.                                                                                                                                                                                                                                                                                                                                                                     |
| <b>A1</b>          | Most product packaging data are given by unit or piece. Assumptions have been made to convert data into mass. | Minor                 | Given the material and quantities of product packaging data (including pallet, pallet bag, strapping, and edge protectors), we converted to mass data by using secondary source data.                                                                                                                                                                                                                                                                                    |
| <b>A2</b>          | Transport distance from raw material supplier to James Hardie production plants                               | Minor                 | The distance is assumed to be 130km. This assumption comes from the Product Environmental Footprint method (Zampori & Pant, 2019) which assumes 130km truck transportation. Since most materials are sourced locally, this assumption is reasonable.                                                                                                                                                                                                                     |
| <b>A3</b>          | Energy allocation                                                                                             | Significant           | The energy consumptions and other manufacturing data at manufacturing stage are allocated by production volume in standard meter, which takes the product thickness into account, by James Hardie.                                                                                                                                                                                                                                                                       |
| <b>A4</b>          | Energy consumption for storage in the EU warehouse                                                            | Minor                 | The electricity consumption comes from the Product Environmental Footprint method (Zampori & Pant, 2019), which assumes 1 m <sup>2</sup> space in the warehouse consumes 30kWh electricity (for lighting) in a year. Assumptions are also provided by James Hardie regarding the occupation area and storage length for 1m <sup>2</sup> of Fiber Cement products.                                                                                                        |
| <b>A5</b>          | Installation                                                                                                  | Minor                 | Installation process is assumed to be the same as other fiber cement products.                                                                                                                                                                                                                                                                                                                                                                                           |
| <b>B2</b>          | Maintenance                                                                                                   | Minor                 | The potential impact associated with cleaning is minimal and there is limited data related to this activity. Thus, it's omitted from this LCA. However, the impact of this activity should not consider to be zero.                                                                                                                                                                                                                                                      |
| <b>C1</b>          | Transport to landfill                                                                                         | Minor                 | It is assumed 50km delivery distance to landfill based on the distance from likely construction sites within major cities to main landfill sites for the area.                                                                                                                                                                                                                                                                                                           |
| <b>C4</b>          | End of life scenario                                                                                          | Minor                 | For simplicity and lacking comprehensive data and statistics on the fate of used product, Plank assumed to be disposed in landfill after use.                                                                                                                                                                                                                                                                                                                            |
| <b>A5 &amp; C4</b> | GWP-biogenic impact                                                                                           | Minor                 | Based on the guidance provided in PCR 2019:14 annex 2, the biogenic carbon of product raw material and packaging should be balanced across product life cycle. Compared to the relatively small emission from the artefact of the background LCA processes, the emission from pulp and pallet is significantly larger. Thus, the GWP-biogenic value for these processes in A5 and C omit the other materials impact and only consider the impacts from pulp and pallets. |

## Environmental Performance

The potential environmental impacts, use of resources and waste categories included in this EPD were calculated using the SimaPro v9.5.0.0 tool and are listed in the table below. All tables from this point will contain abbreviations only. The potential environmental performance is calculated based on the input data and the emission factors from Ecoinvent v3.9.1. The LCA results are relative expressions and do not predict impacts on category endpoints, the exceeding of thresholds and safety margins or risks.

A1-A3 impact results are better used and interpreted when the impact from module C (end-of-life) is also considered. Sole interpretation of impacts from A1-A3 without considering the end-of-life impact is not recommended.

TABLE 11 LIFE CYCLE IMPACT, RESOURCE AND WASTE ASSESSMENT CATEGORIES, MEASUREMENTS AND METHODS

| Impact Category                             | Indicator/Abbreviation | Measurement Unit                        | Assessment Method and Implementation                            |
|---------------------------------------------|------------------------|-----------------------------------------|-----------------------------------------------------------------|
| <b>Potential environmental impacts</b>      |                        |                                         |                                                                 |
| Global warming potential (fossil)           | GWP-fossil             | kg CO <sub>2</sub> equivalents (GWP100) | Baseline model of 100 years of the IPCC based on IPCC 2013      |
| Global warming potential (biogenic)         | GWP-biogenic           | kg CO <sub>2</sub> equivalents (GWP100) | Baseline model of 100 years of the IPCC based on IPCC 2013      |
| Land use/ land transformation               | GWP-luluc              | kg CO <sub>2</sub> equivalents (GWP100) | Baseline model of 100 years of the IPCC based on IPCC 2013      |
| Total global warming potential              | GWP-total              | kg CO <sub>2</sub> equivalents (GWP100) | Baseline model of 100 years of the IPCC based on IPCC 2013      |
| Acidification potential                     | AP                     | mol H <sup>+</sup> eq.                  | Accumulated Exceedance, Seppälä et al. 2006, Posch et al., 2008 |
| Eutrophication – aquatic freshwater         | EP – freshwater        | kg P equivalent                         | EUTREND model, Struijs et al., 2009b, as implemented in ReCiPe  |
| Eutrophication – aquatic marine             | EP – marine            | kg N equivalent                         | EUTREND model, Struijs et al., 2009b, as implemented in ReCiPe  |
| Eutrophication – terrestrial                | EP – terrestrial       | mol N equivalent                        | Accumulated Exceedance, Seppälä et al. 2006, Posch et al.       |
| Photochemical ozone creation potential      | POCP                   | kg NMVOC equivalents                    | LOTOS-EUROS, Van Zelm et al., 2008, as applied in ReCiPe        |
| Abiotic depletion potential (elements)*     | ADPE                   | kg Sb equivalents                       | CML (v4.1)                                                      |
| Abiotic depletion potential (fossil fuels)* | ADPF                   | MJ net calorific value                  | CML (v4.1)                                                      |
| Ozone depletion potential                   | ODP                    | kg CFC 11 equivalents                   | Steady-state ODPs, WMO 2014                                     |
| Water Depletion Potential*                  | WDP                    | m <sup>3</sup> equivalent deprived      | Available Water Remaining (AWARE) Boulay et al., 2016           |

| Impact Category                                                                                                         | Indicator/Abbreviation                                     | Measurement Unit                        | Assessment Method and Implementation                                                                                                                                                                          |
|-------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------|-----------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Resource use</b>                                                                                                     |                                                            |                                         |                                                                                                                                                                                                               |
| Use of renewable primary energy excluding renewable primary energy resources used as raw materials                      | PERE                                                       | MJ, net calorific value                 | Manual for direct inputs <sup>3</sup>                                                                                                                                                                         |
| Use of renewable primary energy resources used as raw materials                                                         | PERM                                                       | MJ, net calorific value                 | Manual for direct inputs <sup>4</sup>                                                                                                                                                                         |
| Total use of renewable primary energy resources (primary energy and primary energy resources used as raw materials)     | PERT                                                       | MJ, net calorific value                 | Sum of "Non-renewable, biomass", "Renewable, biomass", "Renewable, wind, solar, geothermal", and "Renewable, water" indicators from calculating Cumulative Energy Demand based on fuels' lower heating values |
| Use of non-renewable primary energy excluding non-renewable primary energy resources used as raw materials              | PENRE                                                      | MJ, net calorific value                 | Manual for direct inputs <sup>5</sup>                                                                                                                                                                         |
| Use of non-renewable primary energy resources used as raw materials                                                     | PENRM                                                      | MJ, net calorific value                 | Manual for direct inputs <sup>6</sup>                                                                                                                                                                         |
| Total use of non-renewable primary energy resources (primary energy and primary energy resources used as raw materials) | PENRT                                                      | MJ, net calorific value                 | Sum of "Non-renewable fossil" and "Non-renewable, nuclear" indicators from calculating Cumulative Energy Demand based on fuels' lower heating values                                                          |
| Use of secondary material                                                                                               | SM                                                         | kg                                      | Manual for direct inputs                                                                                                                                                                                      |
| Use of renewable secondary fuels                                                                                        | RSF                                                        | MJ, net calorific value                 | Manual for direct inputs                                                                                                                                                                                      |
| Use of non-renewable secondary fuels                                                                                    | NRSF                                                       | MJ, net calorific value                 | Manual for direct inputs                                                                                                                                                                                      |
| Use of net fresh water                                                                                                  | FW                                                         | m <sup>3</sup>                          | ReCiPe 2016                                                                                                                                                                                                   |
| <b>Waste categories</b>                                                                                                 |                                                            |                                         |                                                                                                                                                                                                               |
| Hazardous waste disposed                                                                                                | HWD                                                        | kg                                      | EDIP 2003 (v1.05)                                                                                                                                                                                             |
| Non-hazardous waste disposed                                                                                            | NHWD                                                       | kg                                      | EDIP 2003 (v1.05) <sup>7</sup>                                                                                                                                                                                |
| Radioactive waste disposed/stored                                                                                       | RWD                                                        | kg                                      | EDIP 2003 (v1.05)                                                                                                                                                                                             |
| <b>Additional environmental impact indicators</b>                                                                       |                                                            |                                         |                                                                                                                                                                                                               |
| Global warming potential, excluding biogenic uptake, emissions and storage                                              | GWP-GHG                                                    | kg CO <sub>2</sub> equivalents (GWP100) | Baseline model of 100 years of the IPCC based on IPCC 2013 <sup>8</sup>                                                                                                                                       |
| Particulate matter                                                                                                      | Potential incidence of disease due to PM emissions (PM)    | Disease incidence                       | SETAC-UNEP, Fantke et al. 2016                                                                                                                                                                                |
| Ionising radiation – human health**                                                                                     | Potential Human exposure efficiency relative to U235 (IRP) | kBq U-235 eq                            | Human Health Effect model                                                                                                                                                                                     |
| Eco-toxicity (freshwater)*                                                                                              | Potential Comparative Toxic Unit for ecosystems (ETP-fw)   | CTUe                                    | USEtox                                                                                                                                                                                                        |
| Human toxicity potential – cancer effects*                                                                              | Potential Comparative Toxic Unit for humans (HTP-c)        | CTUh                                    | USEtox                                                                                                                                                                                                        |
| Human toxicity potential – non cancer effects*                                                                          | Potential Comparative Toxic Unit for humans (HTP-nc)       | CTUh                                    | USEtox                                                                                                                                                                                                        |
| Soil quality*                                                                                                           | Potential soil quality index (SQP)                         | dimensionless                           | Soil quality index (LANCA <sup>®</sup> )                                                                                                                                                                      |
| <b>Output flows</b>                                                                                                     |                                                            |                                         |                                                                                                                                                                                                               |
| Components for re-use                                                                                                   |                                                            | kg                                      | Manual for direct inputs                                                                                                                                                                                      |
| Materials for recycling                                                                                                 |                                                            | kg                                      | Manual for direct inputs                                                                                                                                                                                      |
| Materials for energy recovery                                                                                           |                                                            | kg                                      | Manual for direct inputs                                                                                                                                                                                      |
| Exported energy                                                                                                         |                                                            | MJ per energy carrier                   | Manual for direct inputs                                                                                                                                                                                      |

<sup>3</sup>PERE = PERT - PERM

<sup>4</sup>Calculated based on the lower heating value (LHV) of renewable raw materials. LHV is taken from <https://phyllis.nl/>, as recommended by SimaPro in compliance with EN15804+A2: <https://support.simapro.com/s/article/How-to-calculate-EN-15804-A2-indicators-in-desktop-SimaPro>

<sup>5</sup>PENRE = PENRT - PENRM

<sup>6</sup>Calculated based on the lower heating value (LHV) of non-renewable raw materials. LHV is taken from <https://phyllis.nl/>, as recommended by SimaPro in compliance with EN15804+A2: <https://support.simapro.com/s/article/How-to-calculate-EN-15804-A2-indicators-in-desktop-SimaPro>

<sup>7</sup>Calculated as sum of Bulk waste and Slags/ash.

<sup>8</sup>This indicator accounts for all greenhouse gases except biogenic carbon dioxide uptake and emissions and biogenic carbon stored in the product. As such, the indicator is identical to GWP-total except that the CF for biogenic CO<sub>2</sub> is set to zero.

\*Disclaimer – The results of this environmental impact indicator shall be used with care as the uncertainties on these results are high or as there is limited experience with the indicator.

\*\*Disclaimer – This impact category deals mainly with the eventual impact of low dose ionizing radiation on human health of the nuclear fuel cycle. It does not consider effects due to possible nuclear accidents, occupational exposure nor due to radioactive waste disposal in underground.

# Environmental Information for Hardie® Plank

| Potential environmental impact – mandatory indicators according to EN 15804+A2 |                        |           |          |           |           |          |          |          |          |           |          |
|--------------------------------------------------------------------------------|------------------------|-----------|----------|-----------|-----------|----------|----------|----------|----------|-----------|----------|
| Indicator                                                                      | Unit                   | Tot.A1-A3 | A4       | A5        | B1        | B2       | C1       | C2       | C3       | C4        | D        |
| GWP-fossil                                                                     | kg CO <sub>2</sub> eq. | 7.17E+00  | 3.19E+00 | 6.43E-01  | -1.46E+00 | 3.17E+00 | 6.71E-02 | 8.18E-02 | 0.00E+00 | 6.00E-02  | 0.00E+00 |
| GWP-biogenic                                                                   | kg CO <sub>2</sub> eq. | -1.85E+00 | 1.46E-03 | 4.12E-01  | 0.00E+00  | 3.92E-02 | 2.64E-03 | 2.55E-05 | 0.00E+00 | 1.54E+00  | 0.00E+00 |
| GWP-luluc                                                                      | kg CO <sub>2</sub> eq. | 2.65E-03  | 1.28E-04 | 7.45E-04  | 0.00E+00  | 2.43E-03 | 1.67E-04 | 1.56E-06 | 0.00E+00 | 2.32E-05  | 0.00E+00 |
| GWP-total                                                                      | kg CO <sub>2</sub> eq. | 5.32E+00  | 3.19E+00 | 1.06E+00  | -1.46E+00 | 3.22E+00 | 6.99E-02 | 8.18E-02 | 0.00E+00 | 1.60E+00  | 0.00E+00 |
| ODP                                                                            | kg CFC 11 eq.          | 9.14E-08  | 5.60E-08 | 7.87E-09  | 0.00E+00  | 7.88E-08 | 1.08E-09 | 1.72E-09 | 0.00E+00 | 7.84E-10  | 0.00E+00 |
| AP                                                                             | mol H <sup>+</sup> eq. | 2.14E-02  | 2.82E-02 | 3.17E-03  | 0.00E+00  | 4.23E-02 | 3.25E-04 | 2.08E-04 | 0.00E+00 | 4.96E-04  | 0.00E+00 |
| EP-freshwater                                                                  | kg P eq.               | 1.1w0E-03 | 4.82E-05 | 2.57E-04  | 0.00E+00  | 1.02E-03 | 6.10E-05 | 5.45E-07 | 0.00E+00 | 2.23E-05  | 0.00E+00 |
| EP-marine                                                                      | kg N eq.               | 5.68E-03  | 7.91E-03 | 6.37E-04  | 0.00E+00  | 2.95E-03 | 5.73E-05 | 8.15E-05 | 0.00E+00 | 2.16E-04  | 0.00E+00 |
| EP-terrestrial                                                                 | mol N eq.              | 6.01E-02  | 8.63E-02 | 6.00E-03  | 0.00E+00  | 2.75E-02 | 4.94E-04 | 8.61E-04 | 0.00E+00 | 2.34E-03  | 0.00E+00 |
| POCP                                                                           | kg NMVOC eq.           | 1.95E-02  | 2.59E-02 | 2.10E-03  | 0.00E+00  | 1.27E-02 | 1.58E-04 | 3.36E-04 | 0.00E+00 | 6.95E-04  | 0.00E+00 |
| ADP-minerals & metals*                                                         | kg Sb eq.              | 1.60E-05  | 1.13E-07 | 1.07E-05  | 0.00E+00  | 2.16E-06 | 4.12E-09 | 2.74E-09 | 0.00E+00 | 2.22E-09  | 0.00E+00 |
| ADP-fossil*                                                                    | MJ                     | 7.22E+01  | 4.11E+01 | 8.22E+00  | 0.00E+00  | 5.68E+01 | 1.55E+00 | 1.06E+00 | 0.00E+00 | 7.51E-01  | 0.00E+00 |
| WDP*                                                                           | m <sup>3</sup>         | 1.35E+00  | 4.71E-02 | 1.77E-01  | 0.00E+00  | 3.21E+00 | 1.56E-02 | 9.76E-04 | 0.00E+00 | 2.59E-03  | 0.00E+00 |
| Potential environmental impact – additional mandatory and voluntary indicators |                        |           |          |           |           |          |          |          |          |           |          |
| Indicator                                                                      | Unit                   | Tot.A1-A3 | A4       | A5        | B1        | B2       | C1       | C2       | C3       | C4        | D        |
| GWP-GHG                                                                        | kg CO <sub>2</sub> eq. | 7.17E+00  | 3.19E+00 | 6.44E-01  | -1.46E+00 | 3.18E+00 | 6.73E-02 | 8.18E-02 | 0.00E+00 | 6.00E-02  | 0.00E+00 |
| Resource use                                                                   |                        |           |          |           |           |          |          |          |          |           |          |
| Indicator                                                                      | Unit                   | Tot.A1-A3 | A4       | A5        | B1        | B2       | C1       | C2       | C3       | C4        | D        |
| PERE                                                                           | MJ                     | 3.80E+01  | 1.80E-01 | 3.09E+00  | 0.00E+00  | 3.86E+00 | 3.52E-01 | 2.79E-03 | 0.00E+00 | 1.06E+01  | 0.00E+00 |
| PERM                                                                           | MJ                     | 1.19E+01  | 0.00E+00 | -1.33E+00 | 0.00E+00  | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -1.05E+01 | 0.00E+00 |
| PERT                                                                           | MJ                     | 4.99E+01  | 1.80E-01 | 1.76E+00  | 0.00E+00  | 3.86E+00 | 3.52E-01 | 2.79E-03 | 0.00E+00 | 1.84E-02  | 0.00E+00 |
| PENRE                                                                          | MJ                     | 6.64E+01  | 4.11E+01 | 1.12E+01  | 0.00E+00  | 5.68E+01 | 1.55E+00 | 1.06E+00 | 0.00E+00 | 3.60E+00  | 0.00E+00 |
| PENRM                                                                          | MJ                     | 5.84E+00  | 0.00E+00 | -2.98E+00 | 0.00E+00  | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | -2.84E+00 | 0.00E+00 |
| PENRT                                                                          | MJ                     | 7.22E+01  | 4.11E+01 | 8.22E+00  | 0.00E+00  | 5.68E+01 | 1.55E+00 | 1.06E+00 | 0.00E+00 | 7.51E-01  | 0.00E+00 |
| SM                                                                             | kg                     | 0.00E+00  | 0.00E+00 | 0.00E+00  | 0.00E+00  | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00  | 0.00E+00 |
| RSF                                                                            | MJ                     | 0.00E+00  | 0.00E+00 | 0.00E+00  | 0.00E+00  | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00  | 0.00E+00 |
| NRSF                                                                           | MJ                     | 0.00E+00  | 0.00E+00 | 0.00E+00  | 0.00E+00  | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00  | 0.00E+00 |
| FW                                                                             | m <sup>3</sup>         | 5.01E-02  | 9.76E-04 | 6.03E-03  | 0.00E+00  | 7.95E-02 | 1.20E-03 | 2.72E-05 | 0.00E+00 | 7.25E-05  | 0.00E+00 |
| Waste categories                                                               |                        |           |          |           |           |          |          |          |          |           |          |
| Indicator                                                                      | Unit                   | Tot.A1-A3 | A4       | A5        | B1        | B2       | C1       | C2       | C3       | C4        | D        |
| Hazardous waste disposed                                                       | kg                     | 2.05E-04  | 2.54E-04 | 1.63E-05  | 0.00E+00  | 1.19E-04 | 1.74E-06 | 7.01E-06 | 0.00E+00 | 4.22E-06  | 0.00E+00 |
| Non-hazardous waste disposed                                                   | kg                     | 1.45E+00  | 5.05E-03 | 1.23E+00  | 0.00E+00  | 1.34E+00 | 1.84E-03 | 5.24E-05 | 0.00E+00 | 1.05E+01  | 0.00E+00 |
| Radioactive waste disposed                                                     | kg                     | 1.28E-04  | 5.65E-06 | 2.56E-05  | 0.00E+00  | 1.00E-04 | 1.15E-05 | 9.10E-08 | 0.00E+00 | 4.22E-07  | 0.00E+00 |
| Output flows                                                                   |                        |           |          |           |           |          |          |          |          |           |          |
| Indicator                                                                      | Unit                   | Tot.A1-A3 | A4       | A5        | B1        | B2       | C1       | C2       | C3       | C4        | D        |
| Components for re-use                                                          | kg                     | 0.00E+00  | 0.00E+00 | 0.00E+00  | 0.00E+00  | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00  | 0.00E+00 |
| Material for recycling                                                         | kg                     | 0.00E+00  | 0.00E+00 | 0.00E+00  | 0.00E+00  | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00  | 0.00E+00 |
| Materials for energy recovery                                                  | kg                     | 0.00E+00  | 0.00E+00 | 0.00E+00  | 0.00E+00  | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00  | 0.00E+00 |
| Exported energy, electricity                                                   | MJ                     | 0.00E+00  | 0.00E+00 | 0.00E+00  | 0.00E+00  | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00  | 0.00E+00 |
| Exported energy, thermal                                                       | MJ                     | 0.00E+00  | 0.00E+00 | 0.00E+00  | 0.00E+00  | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00 | 0.00E+00  | 0.00E+00 |

\*Disclaimer: The results of this environmental impact indicator shall be used with care as the uncertainties of these results are high or as there is limited experience with the indicator.

## Environmental Information for Hardie® Plank (cont)

| Additional environmental impact indicators     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |           |          |          |          |          |          |          |          |          |          |
|------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| Indicator                                      | Unit                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | Tot.A1-A3 | A4       | A5       | B1       | B2       | C1       | C2       | C3       | C4       | D        |
| Particulate matter                             | disease incidence                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | 2.11E-07  | 1.78E-07 | 4.08E-08 | 0.00E+00 | 1.99E-07 | 9.17E-10 | 5.34E-09 | 0.00E+00 | 1.29E-08 | 0.00E+00 |
| Ionising radiation - human health**            | kBq U-235 eq.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | 5.66E-01  | 2.39E-02 | 1.01E-01 | 0.00E+00 | 3.93E-01 | 4.50E-02 | 4.03E-04 | 0.00E+00 | 1.74E-03 | 0.00E+00 |
| Eco-toxicity (fresh-water)*                    | CTUe                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 1.42E+01  | 1.62E+01 | 1.99E+00 | 0.00E+00 | 2.05E+01 | 5.33E-02 | 3.96E-01 | 0.00E+00 | 2.58E-01 | 0.00E+00 |
| Human toxicity potential - cancer effects*     | CTUh                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 7.87E-10  | 1.07E-10 | 4.75E-10 | 0.00E+00 | 2.13E-10 | 4.49E-12 | 3.09E-12 | 0.00E+00 | 3.11E-12 | 0.00E+00 |
| Human toxicity potential - non cancer effects* | CTUh                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | 1.81E-08  | 8.58E-09 | 3.71E-09 | 0.00E+00 | 4.09E-08 | 6.56E-11 | 2.24E-10 | 0.00E+00 | 3.67E-10 | 0.00E+00 |
| Soil quality*                                  | dimensionless                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | 2.19E+02  | 1.48E-01 | 1.77E+00 | 0.00E+00 | 9.75E+00 | 1.94E-01 | 2.02E-03 | 0.00E+00 | 1.83E+00 | 0.00E+00 |
| Acronyms                                       | <p>GWP-fossil = Global Warming Potential fossil fuels; GWP-biogenic = Global Warming Potential biogenic; GWP-luluc = Global Warming Potential land use and land use change; ODP = Depletion potential of the stratospheric ozone layer; AP = Acidification potential, Accumulated Exceedance; EP-freshwater = Eutrophication potential, fraction of nutrients reaching freshwater end compartment; EP-marine = Eutrophication potential, fraction of nutrients reaching marine end compartment; EP-terrestrial = Eutrophication potential, Accumulated Exceedance; POCP = Formation potential of tropospheric ozone; ADP-minerals&amp;metals = Abiotic depletion potential for non-fossil resources; ADP-fossil = Abiotic depletion for fossil resources potential; WDP = Water (user) deprivation potential, deprivation-weighted water consumption</p> <p>PERE = Use of renewable primary energy excluding renewable primary energy resources used as raw materials; PERM = Use of renewable primary energy resources used as raw materials; PERT = Total use of renewable primary energy resources; PENRE = Use of non-renewable primary energy excluding non-renewable primary energy resources used as raw materials; PENRM = Use of non-renewable primary energy resources used as raw materials; PENRT = Total use of non-renewable primary energy re-sources; SM = Use of secondary material; RSF = Use of renewable secondary fuels; NRSF = Use of non-renewable secondary fuels; FW = Use of net fresh water</p> |           |          |          |          |          |          |          |          |          |          |

\*Disclaimer: The results of this environmental impact indicator shall be used with care as the uncertainties of these results are high or as there is limited experience with the indicator.

\*\*Disclaimer – This impact category deals mainly with the eventual impact of low dose ionizing radiation on human health of the nuclear fuel cycle. It does not consider effects due to possible nuclear accidents, occupational exposure nor due to radioactive waste disposal in underground

## Differences versus previous versions

James Hardie has previously completed an EPD for Hardie® Plank with the geographic scope in Europe. It was completed in 2019 with data from 2016. It's set to expire on December 13, 2023 (S-P-01432). This current EPD is built based on 2020 data, which is more up-to-date, especially on raw materials, packaging, and manufacturing. Also, the database used for this report is updated to Ecoinvent v3.9.1.

Differences from the previous version can be seen in raw material inputs (A1), energy inputs (A3), and transportation to customers (A4). In this EPD, A5, B1, B2, and C are added with reasonable conservative assumptions, to provide a more comprehensive potential environmental impact. This EPD is also developed following EN15804+A2, while the previous version followed EN15804+A1.

## References

- British Standards Institution. (2014). *Sustainability of construction works. - Environmental product declarations - Product Category Rules for concrete and concrete elements, BS EN16757:2017*. British Standards Institution.
- Cooke, A. M. (2000). *Durability of Autoclaved Cellulose Fiber Cement Composites*. Retrieved from <http://fibrecementconsulting.com/publications/990925.DurabilityPaper.pdf>
- Dauriat, A., Coulon, A., Bitar, J., Liao, X., & Delerce-Mauris, C. (2021). *GCCA Industry EPD Tool for Cement and Concrete*. Global Cement and Concrete Association. Switzerland: Quantis.
- Department of the Environment. (2014). *National Greenhouse Accounts Factors - Australian National Greenhouse Accounts*. Australian Government. Retrieved from [www.environment.gov.au](http://www.environment.gov.au)
- Department of the Environment. (2021). *National Greenhouse Accounts Factors - Australian National Greenhouse Accounts*. Australian Government. Retrieved from [www.environment.gov.au](http://www.environment.gov.au)
- ecoinvent Centre. (2022). *The ecoinvent Database*. Retrieved from <https://ecoinvent.org/the-ecoinvent-database/>
- Edge Environment Sustainability Consulting Inc. (2023). *Life Cycle Assessment and Environmental Product Declaration of Fiber Cement Cladding*.
- EPD International. (2019). *c-PCR-001 Cement and building limes (EN 16908)*.
- EPD International. (2019). *c-PCR-003 Concrete and concrete elements (EN 16757)*.
- EPD International. (2023). *Product Category Rules (PCR) 2019:14, v1.3.1*. EPD International.
- European Standard. (2019). *EN 15804:2012+A2:2019*. BSI Standards Limited 2020.
- Frischknecht, R. (2007). *The Environmental Relevance of Capital Goods in Life Cycle Assessments of Products and Services*. Int. J LCA.
- ISO. (2006). *ISO 14025:2006 - Environmental labels and declarations - Type III environmental declarations - Principles and procedures*. Geneva: International Organization for Standardization (ISO).
- ISO. (2006). *ISO 14040:2006. Environmental management - Life cycle assessment - Principles and framework*. Geneva: International Organization for Standardization.
- ISO. (2006). *ISO 14044:2006. Environmental management - Life cycle assessment - Requirements and guidelines*. Geneva: International Organization for Standardization.
- ISO. (2022). *ISO 14020:2022 - Environmental statements and programmes for products - Principles and general requirements*. Geneva: International Organization for Standardization (ISO).
- The British Standards Institution. (2012). *EN 15804:2012+A2:2019*. BSI Standards Limited 2020.
- Wernet, G., Bauer, C., Steubing, B., Reinhard, J., Moreno-Ruiz, E., & Weidema, B. (2019). *The ecoinvent database version 3.6*.
- Zampori, L., & Pant, R. (2019). *Suggestions for updating the Product Environmental Footprint (PEF) method*. Luxembourg: Publications Office of the European Union.



# Environmental Product Declaration

In accordance with ISO 14025 and EN 15804:2012+A2:2019/AC:2021 for:

**Hardie® Plank**

from

**James Hardie Europe GmbH**

**Program:** The International EPD® System

[www.environdec.com](http://www.environdec.com)

**Program Operator:** EPD International AB

**EPD Registration Number:** S-P-10860

**Publication Date:** 16 November 2023

**Valid Until:** 9 November 2028

An EPD should provide current information and may be updated if conditions change. The stated validity is therefore subject to the continued registration and publication at [www.environdec.com](http://www.environdec.com)

© 2023 James Hardie Europe GmbH. All Rights Reserved. TM, SM, and ® denote trademarks or registered trademarks of James Hardie Technology Limited. HS2231 08/22

EPD and the EPD logo are registered trademarks of their respective owner.